

- [54] **DESK TOP ELECTRONIC COMPUTER WITH A REMOVABLY MOUNTED ROM**

- [75] Inventors:** Filippo Demonte, Borgofranco d'Ivrea (Turin); Mario Figini, Bosco Marengo (Alessandria), both of Italy

- [73] Assignee: Ing. C. Olivetti & C., S.p.A., Ivrea (Turin), Italy**

- [21] Appl. No.: 647,000**

- [22] Filed: Jan. 7, 1976**

- [30] Foreign Application Priority Data**

- | | | |
|---------------|-------------|------------|
| Jan. 24, 1975 | Italy | 67146 A/75 |
| Sep. 12, 1975 | Italy | 69275 A/75 |

- [51] Int. Cl.² G06F 15/02; G06F 13/00

- [52] **U.S. Cl.** 364/200

- [58] **Field of Search** 340/172.5; 364/900,
364/200; 235/156

- ## [56] References Cited

U.S. PATENT DOCUMENTS

- | | | | |
|-----------|---------|-------------------|-----------|
| 3,355,714 | 11/1967 | Culler | 340/172.5 |
| 3,469,244 | 9/1969 | Perotto | 340/172.5 |
| 3,495,222 | 2/1970 | Perotto | 340/172.5 |
| 3,533,076 | 10/1970 | Perkins | 340/172.5 |
| 3,573,746 | 4/1971 | Robinson | 340/172.5 |
| 3,588,841 | 6/1971 | Ragen | 340/172.5 |
| 3,593,313 | 7/1971 | Tomaszewski | 340/172.5 |
| 3,594,734 | 7/1971 | Wang | 340/172.5 |
| 3,610,902 | 10/1971 | Rahenkamp | 340/172.5 |

- | | | | |
|-----------|---------|-------------------|-----------|
| 3,623,012 | 11/1971 | Lowry | 340/172.5 |
| 3,636,523 | 1/1972 | De Sandre | 340/172.5 |
| 3,691,531 | 9/1972 | Saltini | 340/172.5 |
| 3,760,171 | 9/1973 | Wang | 340/172.5 |
| 3,839,630 | 10/1974 | Olander, Jr. | 235/156 |
| 3,859,635 | 1/1975 | Watson | 364/200 |
| 3,971,925 | 7/1976 | Wenninger | 235/156 |
| 4,012,725 | 3/1977 | Spangler | 364/200 |

Primary Examiner—James D. Thomas

Attorney, Agent, or Firm—Schuyler, Birch, Swindler, McKie & Beckett

[57] **ABSTRACT**

An electronic computer is provided with a numerical keyboard, a microprogrammed CPU, as well as RAMs and ROMs, some of them of pluggable type. A pluggable ROM stores a plurality of programs and comprises a portion formed of an associated plurality of registers each one storing a jump instruction and the associated programs. The numerical addresses of said registers are represented by a series of numerals which can be entered by the keyboard. Programs can be entered from the numerical keyboard into a RAM memory, in form of a sequence of numerical codes, each code corresponding to a subroutine prerecorded in a ROM. Each program so "learned" by the computer can be repeatedly executed by depressing a fixed code on the keyboard.

16 Claims, 10 Drawing Figures

